

## TEST REPORT

	<i>CLIENT</i> <i>Attention to</i>	<b>PAMAKO MONOVARIETAL</b> <b>Mr ANDROULAKIS</b>
$\mu$ $\mu/$	<i>Certificate number</i> <i>Date Reported</i>	<b>1172-16-10886-01</b> <b>05/12/2016</b>
$\mu$	<i>Sample Description</i>	<b>OLINE OIL SAMPLE PAMAKO MONOVARIETAL</b>
$\mu$ $\mu$	<i>Sample Code</i> <i>Sampling container</i>	<b>16-10886</b> <b>(Package Product)</b>
$\mu$	<i>Sampler</i>	<b>(CLIENT)</b>
$\mu/$ $\mu/$ $\mu$	<i>Sample Transport</i> <i>Date of sampling</i> <i>Date of sample received</i> <i>Condition of sample received</i> <i>Start of Analysis</i> <i>End of Analysis</i>	<b>(Client)</b> <b>01/12/2016</b> <b>01/12/2016</b> <b>(Normal)</b> <b>01/12/2016</b> <b>05/12/2016</b>

EN ISO/IEC 17025 ( , 46/27-11-2001).  
μ μ μ μ μ μ (\*) Acccredited tests are represented by the symbol (\*).

## TEST RESULTS

$\mu$	Parameters	$\mu$	Units	[**]	Method
		Result		Limits [**]	
<b>- CHEMICAL ANALYSIS</b>					
*	( ) <i>Acidity (as oleic acid)</i>	0.23	% (w/w)	0.8	2568/91 ( $\mu$ $\mu$ )
*	$\mu$ <i>Peroxide Value</i>	5.9	mEq O2/kg	20.0	2568/91 ( $\mu$ $\mu$ )

XHMIKO TEXNIKH  
ANALYTICAL - MELETERES  
LAGOUVARDOU - STATHIDAKH O.E.  
ΔΙΚ. ΜΑΚΡΗ 1, ΑΓ. ΜΑΡΚΟΣ 74100 ΡΕΘΥΜΝΟ  
ΤΗΛ.: 28310 25412 ΦΑΞ: 28310 50626  
Α.Φ.Μ. 071754348 ΔΟΥ ΡΕΘΥΜΝΟΥ

(Lagouvardou Afroditi)

$\mu$  -  
(Chemical Engineer - Laboratory Manager)

- Certificate Number : 1172-16-10886-01  
- Date of Reporting : 06/12/2016

μ - Continuing from previous page

μ/

μ	Parameters	μ		[**]	
		Result	Units	Limits [**]	Method
<b>- CHEMICAL ANALYSIS</b>					
*	232	232	1.70	2.50	2568/91 ( μ μ )
*	268	268	0.14	0.22	2568/91 ( μ μ )
*			0.00	0.01	2568/91 ( μ μ )
*	Waxes (without C40)		25	mg/Kg	< 150 Commission Regulation (EEC) 2568/91 (Annex XX) & COI/T.20/Doc. No 28 as in force

[\*\*]

μ 2568/91  
[\*\*] Limits according to European Directive

μ μ  
2568/91 as in force concerning extra virgin olive oil.

XHMIKO TEXNIKH  
ANALYTIK - MEΛETEΣ  
ΛΑΓΚΟΥΒΑΡΔΟΥ - ΣΤΡΑΤΙΔΑΚΗ Ο.Ε.  
ΔΙΚ. ΜΑΚΡΗ 1, ΑΓΙΟΣ ΜΑΡΚΟΣ 74100 ΡΕΘΥΜΝΟ  
ΤΗΛ.: 28310 25412 ΦΑΞ: 28310 50626  
Α.Φ.Μ. 071754548 ΔΟΥ ΡΕΘΥΜΝΟΥ

(Lagouvardou Afroditi)

μ -  
(Chemical Engineer - Laboratory Manager)

## TEST REPORT

	CLIENT Attention to	PAMA KO MONOVARIETAL Mr ANDROULAKIS
μ μ/	Certificate number Date Reported	1172-16-10886-02 05/12/2016
	μ Sample Description	OLINE OIL SAMPLE PAMA KO MONOVARIETAL
	μ Sample Code μ Sampling container	16-10886 (Package Product)
	μ Sampler	(CLIENT)
μ/ μ/	μ Sample Transport Date of sampling Date of sample received μ Condition of sample received Start of Analysis End of Analysis	(Client) 01/12/2016 01/12/2016 (Normal) 01/12/2016 05/12/2016

EN ISO/IEC 17025 ( , 46/27-11-2001).  
 μ μ μ μ μ μ (\*). Accredited tests are represented by the symbol (\*).

## TEST RESULTS

### - PESTICIDE ANALYSIS

#### - ANALYSIS PROFILE

A/A	(METHOD)	(DESCRIPTION)
1	GC-MS/MS	E μμ μ GC-MS/MS Qu ChERS method. In House multiresidue analysis GC-MS/MS method based on Qu ChERS method.

μ - Parameters	μ				
	Result	Units	Reporting Limit	Limits	Method
* All pesticides in Table I	<RL	mg/Kg	0.01		GC-MS/MS

1: μ  
 ("Reporting Limit") μ

NOTE 1: Except the compounds in the above table, all the other pesticides were either not detected or were detected in concentration below the reporting limit ("R.L.") of the method.

2: μ μμ  
 ("R.L.")

NOTE 2: The following tables show all the analyzed compounds and their Reporting Limit.

XHMIKO TEXNIKH  
 ANALYTIK - MELETEZ  
 ΛΑΓΟΥΒΑΡΔΟΥ ΑΦΡΟΔΙΤΗ Ο.Ε.  
 ΔΙΚ. ΜΑΚΡΗΣ 1, ΑΓΙΟΣ ΜΑΡΚΟΣ, 74100 ΡΕΘΥΜΝΟ  
 ΤΗΛ.: 28310 25412 - FAX: 28310 50626  
 Α.Φ.Μ. 01758278 ΔΟΥ ΡΕΘΥΜΝΟΥ

*(Lagouvardou Afroditi)*  
 μ -  
 (Chemical Engineer - Laboratory Manager)

μ - Continuing from previous page

μ/ - Certificate Number : 1172-16-10886-02  
- Date of Reporting : 06/12/2016

## - ANNEX

**1:** μ GC-MS/MS (90 )  
**TABLE 1: AGRICULTURAL DRUG RESIDUES analyzed by GC-MS/MS (90 compounds)**

ACTIVE COMPOUND	R.L. (mg/Kg)	ACTIVE COMPOUND	R.L. (mg/Kg)	ACTIVE COMPOUND	R.L. (mg/Kg)	ACTIVE COMPOUND	R.L. (mg/Kg)
* Acephate	0.01	* DDD-p,p'	0.01	* Fenthion Sulfoxide	0.01	* Permethrin	0.01
* Acinathrin	0.01	* DDE-p,p'	0.01	* Fenvalerate	0.01	* Phorate	0.01
* Alachlor	0.01	* DDT-p,p'	0.01	* Fluvalinate	0.01	* Phosalone	0.01
* Aldrin	0.01	* Deltamethrin	0.01	* HCH-	0.01	* Phosphamidon	0.01
Amitraz	0.01	* Diazinon	0.01	* HCH-	0.01	* Piperonyl butoxide	0.01
* Atrazine	0.01	* Dichlorvos	0.01	* HCH- (Lindane)	0.01	* Pirimicarb	0.01
* Azinphos ethyl	0.01	* Diclolan	0.01	* HCH-	0.01	* Pirimiphos methyl	0.01
* Azinphos methyl	0.01	* Dicofof	0.01	* Heptachlor	0.01	* Procymidone	0.01
* Bromophos ethyl	0.01	* Dieldrin	0.01	* Heptachlor endo epoxide	0.01	* Propachlor	0.01
* Bromophos methyl	0.01	* Dimethoate	0.01	* Heptachlor exo epoxide	0.01	* Propanil	0.01
* Bromopropylate	0.01	* Endosulfan sulfate	0.01	* Iprodione	0.01	* Propyzamide	0.01
* Cadusafos	0.01	* Endosulfan	0.01	* Kresoxim methyl	0.01	* Pyrazophos	0.01
* Chlordane cis	0.01	* Endosulfan	0.01	* Malathion	0.01	* Pyriproxyfen	0.01
* Chlordane trans	0.01	* Ethion	0.01	* Methidathion	0.01	* Quintozene	0.01
* Chlorfenvinphos	0.01	* Ethoprophos	0.01	* Methoxychlor	0.01	* Simazine	0.01
Chlorothalonil	0.01	* Fenarimol	0.01	* Metolachlor	0.01	* Tebuconazole	0.01
* Chlorpyrifos	0.01	* Fenitrothion	0.01	* Monocrotophos	0.01	* Terbutylazine	0.01
* Chlorpyrifos methyl	0.01	* Fenoxycarb	0.01	* Nitrofen	0.01	* Triadimefon	0.01
* Coumaphos	0.01	* Fenthion	0.01	* Omethoate	0.01	* Trifloxystrobin	0.01
* Cyfluthrin	0.01	* Fenthion oxon	0.01	* Oxyfluorfen	0.01	* Trifluralin	0.01
* Cyhalothrin	0.01	* Fenthion oxon sulfone	0.01	* Parathion	0.01	* Vinclozolin	0.01
* Cypermethrin	0.01	* Fenthion oxon sulfoxide	0.01	* Parathion methyl	0.01		
* Cypermethrin alpha	0.01	* Fenthion Sulfone	0.01	* Pendimethalin	0.01		

XHMIKO TEXNIKH  
ANALYTICAL - MELETES  
ΛΑΓΟΥΒΑΡΔΟΥ ΑΦΡΟΔΙΤΗ Ο.Ε.  
ΔΙΚ. ΜΑΚΡΗΣ 1, ΑΓΙΟΣ ΜΑΡΚΟΣ, 74100 ΡΕΘΥΜΝΟ  
ΤΗΛ.: 28310 25412 ΦΑΞ: 28310 50626  
Α.Φ.Μ. 081755412 ΔΟΥ ΡΕΘΥΜΝΟΥ

(Lagouvardou Afroditi)

μ  
(Chemical Engineer - Laboratory Manager)

## TEST REPORT

	<i>CLIENT</i> <i>Attention to</i>	<b>PAMAKO MONOVARIETAL</b> <b>Mr ANDROULAKIS</b>
$\mu$ $\mu/$	<i>Certificate number</i> <i>Date Reported</i>	<b>1172-16-10886-02</b> <b>05/12/2016</b>
$\mu$	<i>Sample Description</i>	<b>OLINE OIL SAMPLE PAMAKO MONOVARIETAL</b>
$\mu$ $\mu$	<i>Sample Code</i> <i>Sampling container</i>	<b>16-10886</b> <b>(Package Product)</b>
$\mu$	<i>Sampler</i>	<b>(CLIENT)</b>
$\mu/$ $\mu/$ $\mu/$	<i>Sample Transport</i> <i>Date of sampling</i> <i>Date of sample received</i> <i>Condition of sample received</i> <i>Start of Analysis</i> <i>End of Analysis</i>	<b>(Client)</b> <b>01/12/2016</b> <b>01/12/2016</b> <b>(Normal)</b> <b>01/12/2016</b> <b>05/12/2016</b>

EN ISO/IEC 17025 ( , 46/27-11-2001).  
μ μ μ μ μ μ (\*). Accredited tests are represented by the symbol (\*).

## TEST RESULTS

### - FATTY ACIDS PROFILE

$\mu$ - Parameters	$\mu$		[**]	
	Result	Units	Limits [**]	Method
* C14:0 (Myristic)	0.01	% TFA	0.03	EU 2568/91 modif.
* C16:0 (Palmitic acid)	13.64	% TFA		EU 2568/91 modif.
* C16:1 (Palmitoleic acid)	0.94	% TFA		EU 2568/91 modif.
* C17:0 (Heptadecanoic)	0.05	% TFA	0.3	EU 2568/91 modif.
* C17:1 (cis-10-Heptadecanoic)	0.07	% TFA	0.3	EU 2568/91 modif.
* C18:0 (Stearic acid)	3.01	% TFA		EU 2568/91 modif.
* C18:1 (Oleic acid)	70.65	% TFA		EU 2568/91 modif.
* C18:2 (Linoleic acid)	9.95	% TFA		EU 2568/91 modif.
* C18:3 (Linolenic acid)	0.77	% TFA	1.0	EU 2568/91 modif.
* C20:0 (Arachidic acid)	0.48	% TFA	0.6	EU 2568/91 modif.
* C20:1 (Eicosenoic acid)	0.26	% TFA	0.4	EU 2568/91 modif.
* C22:0 (Behenic acid)	0.13	% TFA	0.2	EU 2568/91 modif.
* C24:0 (Lignoceric acid)	0.04	% TFA	0.2	EU 2568/91 modif.
$\mu$ trans (C18:2T) & trans (C18:3T)	0.024	% TFA	0.05	
$\mu$ trans	0.017	% TFA	0.05	
$\mu$	17.36	% TFA		

XHMIKO TEXNIKH  
ANALYTICAL - MELETEΣ  
ΛΑΓΟΥΒΑΡΔΟΥ ΑΦΡΟΔΙΤΗΣ Ο.Ε.  
ΔΙΚ. ΜΑΚΡΗΣ 1, ΑΓΙΟΣ ΜΑΡΚΟΣ - ΡΕΘΥΜΝΟ  
ΤΗΛ.: 28310 25412 - ΦΑΞ: 28310 50626  
Α.Φ.Μ. 091758113 ΔΟΥ ΡΕΘΥΜΝΟΥ

(Lagouvardou Afroditi)

$\mu$   
(Chemical Engineer - Laboratory Manager)



- Certificate Number : 1172-16-10886-02

- Date of Reporting : 06/12/2016

μ - Parameters	μ			Method
	Result	Units	Limits [**]	
	71.92	% TFA		
	10.72	% TFA		

[\*\*] μ 2568/91  
[\*\*] Limits according to European Directive

μ μ  
2568/91 as in force concerning extra virgin olive oil.

ΧΗΜΙΚΟΤΕΧΝΙΚΗ  
ΑΝΑΛΥΤΙΚΟ - ΜΕΛΕΤΕΣ  
ΛΑΓΚΟΥΒΑΡΔΟΥ ΣΥΛΛΗΓΔΑΚΗ Ο.Ε.  
ΔΙΚ. ΜΑΚΡΗ 1 Μ. ΠΕΘΥΜΝΟΥ 741 00 ΡΕΘΥΜΝΟ  
ΤΗΛ.: 28310 25412 ΦΑΞ: 28310 50626  
Α.Φ.Μ. 091755512 ΔΟΥ ΡΕΘΥΜΝΟΥ

(Lagouvardou Afroditi)

μ  
(Chemical Engineer - Laboratory Manager)